



THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY


COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾/ APPROVAL EXTENDED ⁽¹⁾/
APPROVAL REFUSED ⁽⁴⁾/ APPROVAL WITHDRAWN ⁽⁴⁾/ PRODUCTION DEFINITELY
DISCONTINUED ⁽¹⁾ OF A TYPE OF ELECTRICAL/ ELECTRONIC SUB-ASSEMBLY ⁽¹⁾ WITH
REGARD TO REGULATION NO. 10.05



Approval No: 10R-056109

Extension No: Not applicable

1. Make (trade name of manufacturer): Premier Hazard Ltd
2. Type and general commercial description(s): Vehicle lightbar
3. Means of identification of type, if marked on the vehicle/component/ separate technical unit: ⁽¹⁾
FM 9000 series lightbar
 - 3.1. Location of that marking: Self adhesive label on the lens of the product
4. Category of vehicle: Not applicable
5. Name and address of manufacturer:
Premier Hazard Limited
Bessingby Industrial Estate
Bridlington
East Yorkshire
YO16 4SJ
United Kingdom
6. In the case of components and separate technical units, location and method of affixing of the approval mark: As section 3.1 above

7. Address(es) of assembly plant(s):
Premier Hazard Limited
Bessingby Industrial Estate
Bridlington
East Yorkshire
YO16 4SJ
United Kingdom
 8. Additional information (where applicable): See Appendix
 9. Technical Service responsible for carrying out the tests: SGS UK Limited
 10. Date of test report: Technical Review Letter dated Letter 26 November 2015
 11. No. of test report: Technical Review Letter AUT217014/1
 12. Any remarks: See Appendix below
 13. Place: BRISTOL
 14. Date: 03 DECEMBER 2015
 15. Signature:  D LAWLOR
Head of Technical Standards & Legislation
 16. The index to the information package lodged with the Approval Authority, which may be obtained on request, is attached.
 17. Reasons for extension: To cover upgrade of approval to latest level Regulation 10.05
- (1) Strike out what does not apply.

Appendix

to type-approval communication form No. 10R-056109

concerning the type-approval of an electrical/electronic sub-assembly under Regulation No. 10.05

1. Additional information:
 - 1.1. Electrical system rated voltage: 12V. ~~pos~~/neg ground ⁽¹⁾
 - 1.2. This ESA can be used on any vehicle type with the following restrictions: 12V
 - 1.2.1. Installation conditions, if any: See manufacturers' instructions.
 - 1.3. This ESA can be used only on the following vehicle types: Not applicable
 - 1.3.1. Installation conditions, if any: Not applicable
 - 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were: (Please specify precise method used from Annex 9): BCI 20-200MHz at 60 m-Amps, 200-2000MHz at 30V/m
 - 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests: SGS UK limited (Durham), United Kingdom
 2. Remarks: None
- (1) Strike out what does not apply.